

« INTEGRATIVE BIOLOGICAL NMR » TEAM

Alain Milon

A COMPLETE LIST OF THE PAPERS, BY YEAR:

2016

Menchon, G., Bombarde, O., Trivedi, M., Negrel, A., Inard, C., Giudetti, B., Baltas, M., Milon, A., Modesti, M., Czaplicki, G., and Calsou, P. (2016) Structure-Based Virtual Ligand Screening on the XRCC4/DNA Ligase IV Interface, *Sci. Rep.* 6, 22878 (2016).

Hemmann, J. L., Saurel, O., Ochsner, A. M., Stodden, B. K., Kiefer, P., Milon, A., and Vorholt, J. A., The One-carbon Carrier Methylofuran from *Methylobacterium extorquens* AM1 Contains a Large Number of alpha- and gamma-Linked Glutamic Acid Residues, *J. Biol. Chem.* 291, 9042-9051 (2016).

Cukier, C. D., Maveyraud, L., Saurel, O., Guillet, V., Milon, A., and Gervais, V., The C-terminal region of the transcriptional regulator THAP11 forms a parallel coiled-coil domain involved in protein dimerization, *J. Struct. Biol.* 194, 337-346 (2016).

Brison, Y., Malbert, Y., Czaplicki, G., Mourey, L., Rемаud-Simeon, M., and Tranier, S., Structural Insights into the Carbohydrate Binding Ability of an alpha-(1→2) Branching Sucrase from Glycoside Hydrolase Family 70, *J. Biol. Chem.* 291, 7527-7540 (2016).

2015

Sinnige, T., K. Houben, I. Pritisanac, M. Renault, R. Boelens, and M. Baldus. Insight into the conformational stability of membrane-embedded BamA using a combined solution and solid-state NMR approach. *J. biomol. NMR* 61, 321-332 (2015)

O'Connor, C., K. L. White, N. Doncescu, T. Didenko, B. L. Roth, G. Czaplicki, R. C. Stevens, K. Wuthrich, and A. Milon. NMR structure and dynamics of the agonist dynorphin peptide bound to the human kappa opioid receptor. *PNAS* 112, 11852-11857 (2015).

Berthoumieu, O., P. H. Nguyen, M. P. Castillo-Frias, S. Ferre, B. Tarus, J. Nasica-Labouze, S. Noel, O. Saurel, C. Rampon, A. J. Doig, P. Derreumaux, and P. Faller. Combined experimental and simulation studies suggest a revised mode of action of the anti-Alzheimer disease drug NQ-Trp. *Chemistry* 21, 12657-12666 (2015).

Bartolami, E., Y. Bessin, V. Gervais, P. Dumy, and S. Ulrich. Dynamic Expression of DNA Complexation with Self-assembled Biomolecular Clusters. *Angew. Chemie* 54, 10183-10187 (2015).

2014

Sinnige, T., M. Weingarh, M. Renault, L. Baker, J. Tommassen, and M. Baldus. Solid-state NMR studies of full-length BamA in lipid bilayers suggest limited overall POTRA mobility. *J. Mol. Biol.* 426, 2009-2021 (2014).

Plancharde, N., E. Point, T. Dahmane, F. Giusti, M. Renault, C. Le Bon, G. Durand, A. Milon, E. Guittet, M. Zoonens, J. L. Popot, and L. J. Catoire. The use of amphipols for solution NMR studies of membrane proteins: advantages and constraints as compared to other solubilizing media. *J. Membr. Biol.* 247, 827-842 (2014).

Nars, G., O. Saurel, F. Bordes, I. Saves, M. Rемаud-Simeon, I. Andre, A. Milon, and A. Marty. Production of stable isotope labelled lipase Lip2 from *Yarrowia lipolytica* for NMR: investigation of several expression systems. *Protein Expr. Purif.* 101, 14-20 (2014).

Nakatani, Y., N. Ribeiro, S. Streiff, M. Gotoh, G. Pozzi, L. Desaubry, and A. Milon. Search for the Most 'primitive' Membranes and Their Reinforcers: A Review of the Polyprenyl Phosphates Theory. *Orig Life Evol Biosph* 44, 197-208 (2014).

Gater, D. L., O. Saurel, I. Iordanov, W. Liu, V. Cherezov, and A. Milon. Two classes of cholesterol binding sites for the beta2AR revealed by thermostability and NMR. *Biophys. J.* 107, 2305-2312 (2014).

Bissaro, B., O. Saurel, F. Arab-Jaziri, L. Saulnier, A. Milon, M. Tenkanen, P. Monsan, M. J. O'Donohue, and R. Faure. Mutation of a pH-modulating residue in a GH51 alpha-l-arabinofuranosidase leads to a severe reduction of the secondary hydrolysis of transfuranosylation products. *Biochim Biophys Acta*. 1840, 626-636 (2014).

Abot, A., C. Fontaine, M. Buscato, R. Solinhac, G. Flouriot, A. Fabre, A. Drougard, S. Rajan, M. Laine, A. Milon, I. Muller, D. Henrion, M. Adlanmerini, M. C. Valera, A. Gompel, C. Gerard, C. Pequeux, M. Mestdagt, I. Raymond-Letron, C. Knauf, F. Ferriere, P. Valet, P. Gourdy, B. S. Katzenellenbogen, J. A. Katzenellenbogen, F. Lenfant, G. L. Greene, J. M. Foidart, and J. F. Arnal. The uterine and vascular actions of estetrol delineate a distinctive profile of estrogen receptor alpha modulation, uncoupling nuclear and membrane activation. *EMBO Mol Med* 6, 1328-1346 (2014).

2013

Renault, M., L. Shintu, M. Piotto, and S. Caldarelli. Slow-spinning low-sideband HR-MAS NMR spectroscopy: delicate analysis of biological samples. *Scientific reports* 3, 3349 (2013).

Renault, M., J. Garcia, T. N. Cordeiro, M. Baldus, and M. Pons. Protein oligomers studied by solid-state NMR—the case of the full-length nucleoid-associated protein histone-like nucleoid structuring protein. *FEBS J.* 280, 2916-2928 (2013).

Gater, D. L., V. Reat, G. Czaplicki, O. Saurel, A. Milon, F. Jolibois, and V. Cherezov. Hydrogen bonding of cholesterol in the lipidic cubic phase. *Langmuir: the ACS journal of surfaces and colloids* 29, 8031-8038 (2013).

Rath, P., Saurel, O., Czaplicki, G., Tropis, M., Daffe, M., Ghazi, A., Demange, P. et Milon, A. Cord factor (trehalose 6,6'-dimycolate) forms fully stable and non-permeable lipid bilayers required for a functional outer membrane, *BBA - Biomembranes* 1828, 2173-2181 (2013).

Gervais, V., Campagne, S., Durand, J., Muller, I. et Milon, A. NMR studies of a new family of DNA binding proteins: the THAP proteins, *J. Biomol. NMR* 56, 3-15 (2013).

Cala, O., Remy, M. H., Guillet, V., Merdes, A., Mourey, L., Milon, A., and Czaplicki, G. Virtual and biophysical screening targeting the gamma-tubulin complex—a new target for the inhibition of microtubule nucleation, *PLoS One* 8, e63908 (2013).

Arab-Jaziri, F., Bissaro, B., Dion, M., Saurel, O., Harrison, D., Ferreira, F., Milon, A., Tellier, C., Faure, R., and O'Donohue, M. J. Engineering transglycosidase activity into a GH51 alpha-l-arabinofuranosidase, *N. Biotechnol.* 30, 536-544 (2013).

Gater, D. L., Reat, V., Czaplicki, G., Saurel, O., Jolibois, F., Cherezov, V. et Milon, A. Hydrogen bonding of cholesterol in the lipidic cubic phase. *Langmuir* 29, 8031-8038 (2013).

Rath, P., Saurel, O., Tropis, M., Daffe, M., Demange, P., and Milon, A. NMR localization of the O-mycoloylation on PorH, a channel forming peptide from *Corynebacterium glutamicum*, *FEBS Lett.* 587, 3687-3691 (2013).

Halberg F., Powell D., Otsuka K., Watanabe Y., Beaty L.A., Rosch P., Czaplicki J., Hillman D., Schwartzkopff O. and Cornelissen G. Diagnosing vascular variability anomalies, not only MESOR-hypertension, *Am J Physiol Heart Circ Physiol.* 305, 279-94 (2013).

2012

Iordanov, I., Renault, M., Reat, V., Bosshart, P. D., Engel, A., Saurel, O., and Milon, A. Dynamics of *Klebsiella pneumoniae* OmpA transmembrane domain: The four extracellular loops display restricted motion behavior in micelles and in lipid bilayers, *Biochim Biophys Acta* 1818, 2344-2353 (2012).

Bosshart, P. D., Iordanov, I., Garzon-Coral, C., Demange, P., Engel, A., Milon, A., and Muller, D. J. The Transmembrane Protein KpOmpA Anchoring the Outer Membrane of *Klebsiella pneumoniae* Unfolds and Refolds in Response to Tensile Load, *Structure* 20, 121-127 (2012).

Campagne, S., Muller, I., Milon, A., and Gervais, V. Towards the classification of DYT6 dystonia mutants in the DNA-binding domain of THAP1, *Nucleic Acids Res* 40, 9927-9940 (2012).

Arab-Jaziri, F., Bissaro, B., Barbe, S., Saurel, O., Debat, H., Dumon, C., Gervais, V., Milon, A., Andre, I., Faure, R., and O'Donohue, M. J. Functional roles of H98 and W99 and beta2alpha2 loop dynamics in the alpha-l-arabinofuranosidase from *Thermobacillus xylanilyticus*, *FEBS J* 279, 3598-3611 (2012).

Mazarguil, H., Mollereau, C., Czaplicki, G., and Zajac, J. M. Study of the N-terminal part of peptidic selective NPFF2 agonists, *Peptides* 37, 157-160 (2012).

Renault, M., Pawsey, S., Bos, M. P., Koers, E. J., Nand, D., Tommassen-van Boxtel, R., Rosay, M., Tommassen, J., Maas, W. E., and Baldus, M. Solid-State NMR Spectroscopy on Cellular Preparations Enhanced by Dynamic Nuclear Polarization, *Angew Chem Int Edit* 51, 2998-3001 (2012).

Renault, M., Tommassen-van Boxtel, R., Bos, M. P., Post, J. A., Tommassen, J., and Baldus, M. Cellular solid-state nuclear magnetic resonance spectroscopy, *Proc Natl Acad Sci USA* 109, 4863-4868 (2012).

2011

Rath, P., Demange, P., Saurel, O., Tropis, M., Daffe, M., Dotsch, V., Ghazi, A., Bernhard, F., and Milon, A. Functional expression of the PorAH channel from *Corynebacterium glutamicum* in cell-free expression systems: implications for the role of the naturally occurring mycolic acid modification, *J Biol Chem* 286, 32525-32532 (2011).

Irague, R., Massou, S., Moulis, C., Saurel, O., Milon, A., Monsan, P., Remaud-Simeon, M., Portais, J. C., and Potocki-Veronese, G. NMR-based structural glycomics for high-throughput screening of carbohydrate-active enzyme specificity, *Anal Chem* 83, 1202-1206 (2011).

Demange, P., Réat, V., Weinandy, S., Ospital, R., Chopinet-Mayeux, L., Henri, P., Milon, A., and Teissié, J. Targeted Macromolecules Delivery by Large Lipidic Nanovesicles Electrofusion with Mammalian Cells, *J. Biomater. Nanobiotech.* 2, 527-532 (2011).

Campagne, S., Gervais, V., and Milon, A. Nuclear magnetic resonance analysis of protein-DNA interactions, *J R Soc Interface* 8, 1065-1078 (2011).

Renault, M., Bos, M. P., Tommassen, J., and Baldus, M. Solid-State NMR on a Large Multidomain Integral Membrane Protein: The Outer Membrane Protein Assembly Factor BamA, *J Am Chem Soc* 133, 4175-4177 (2011).

2010

Campagne, S., Saurel, O., Gervais, V., Milon, A. Structural determinants of specific DNA-recognition by the THAP zinc finger. *Nucleic Acids Res* 38: 3466-76, (2010).

Holt, A., Rougier, L., Reat, V., Jolibois, F., Saurel, O., Czaplicki, J., Killian, J. A., Milon, A. Order parameters of a transmembrane helix in a fluid bilayer: case study of a WALP peptide. *Biophys J* 98: 1864-72, (2010).

Maury, D., Couderc, F., Czaplicki, J., Garrigues, J. C., Poinso, V. Optimized conditions for 2-aminobenzamide labeling and high-performance liquid chromatography analysis of N-acylated monosaccharides. *Biomedical Chromatography* 24: 343-346 (2010).

Medycki, W., Czaplicki, J., Kruk, D., Uniszkiwicz, C., Mielczarek, A. Dynamics of alpha-Tocopherol Acetate: Proton Relaxation Studies Supported by Molecular Dynamics Simulations. *Applied Magnetic Resonance* 39: 273-283, (2010).

Muller, I., Sarramegna, V., Milon, A., Talmont, F. J. The N-terminal end truncated mu-opioid receptor: from expression to circular dichroism analysis. *Appl Biochem Biotechnol* 160: 2175-86 (2010).

Renault, M., Saurel, O., Demange, P., Reat, V., Milon, A. Solution-state NMR spectroscopy of membrane proteins in detergent micelles: structure of the *Klebsiella pneumoniae* outer membrane protein A, KpOmpA. *Methods Mol Biol* 654: 321-39 (2010).

Rougier, L., Milon, A., Reat, V., Jolibois, F. Modelling the influence of hydrogen bond network on chemical shielding tensors description. GIAO-DFT study of WALP23 transmembrane alpha-helix as a test case. *Phys Chem Chem Phys* 12: 6999-7008 (2010).

Talmont, F., Mollereau, C., Muller, I., Zajac, J. M. Solubilization and functional reconstitution of human neuropeptide FF2 receptors. *Anal. Biochem.* 398: 225-229 (2010).

Borges, J. P., Culerrier, R., Aldon, D., Barre, A., Benoist, H., Saurel, O., Milon, A., Didier, A., Rouge, P. GATEWAY technology and *E. coli* recombinant system produce a properly folded and functional recombinant allergen of the lipid transfer protein of apple (Mal d 3). *Protein Expr Purif* 70: 277-82 (2010).

2009

Layre, E., Collmann, A., Bastian, M., Mariotti, S., Czaplicki, J., Prandi, J., Mori, L., Stenger, S., De Libero, G., Puzo, G., and Gilleron, M. Mycolic acids constitute a scaffold for mycobacterial lipid antigens stimulating CD1-restricted T cells. *Chem Biol* 16:82-92 (2009).

Renault, M., Saurel, O., Czaplicki, J., Demange, P., Gervais, V., Lohr, F., Reat, V., Piotto, M., and Milon, A. Solution state NMR structure and dynamics of KpOmpA, a 210 residue transmembrane domain possessing a high potential for immunological applications. *J Mol Biol* 385:117-130 (2009).

Vermeer, L.S., Reat, V., Hemminga, M.A., and Milon, A. Structural properties of a peptide derived from H(+)-V-ATPase subunit a. *Biochim Biophys Acta* 1788:1204-1212 (2009).

Ravault, S., C. Flore, O. Saurel, A. Milon, R. Bresseur, and L. Lins. Study of the Specific Lipid Binding Properties of Abeta 11-22 Fragment at Endosomal pH. *Langmuir* 25:10948-10953 (2009).

Muller, I., V. Sarramegna, A. Milon, and F. J. Talmont, The N-Terminal End Truncated Mu-Opioid Receptor: from Expression to Circular Dichroism Analysis. *Appl Biochem Biotechnol* . 160, 2175-2186 (2009).

2008

Bessiere, D., Lacroix, C., Campagne, S., Ecochard, V., Guillet, V., Mourey, L., Lopez, F., Czaplicki, J., Demange, P., Milon, A., Girard, J.-P. and Gervais, V. Structure-function analysis of the thap-zinc finger of thap1, a large C2CH DNA-binding module linked to RB/E2F pathways., *J. Biol. Chem.* 283: 4352-4363 (2008).

Hazan, C., Boudsocq, F., Gervais, V., Saurel, O., Ciais, M., Cazaux, C., Czaplicki, J., and Milon, A., Structural insights on the pamoic acid and the 8 kDa domain of DNA polymerase beta complex: towards the design of higher-affinity inhibitors., *BMC Struct Biol* 8: 22 (2008).

Muller, I., Sarramegna, V., Renault, M., Lafaquiere, V., Sebai, S., Milon, A., and Talmont, F., The full-length mu-opioid receptor: a conformational study by circular dichroism in trifluoroethanol and membrane-mimetic environments., *J Membr Biol* 223: 49-57 (2008).

Vincent, B., Mouledous, L., Bes, B., Mazarguil, H., Meunier, J. C., Milon, A., and Demange, P., Description of the low-affinity interaction between nociceptin and the second extracellular loop of its receptor by fluorescence and NMR spectroscopies., *J Peptide Sci* 14, 1183-1194 (2008).

Wasielowski E, Tzou DL, Dillmann B, Czaplicki J, Abdallah MA, Atkinson RA, Kieffer B., Multiple conformations of the metal-bound pyoverdine PvdI, a siderophore of *Pseudomonas aeruginosa*: a nuclear magnetic resonance study., *Biochemistry* 18; 3397-406 (2008)

2007

Vermeer L.S., de Groot B.L., Reat V., Milon A. and Czaplicki J. Acyl chain order parameter profiles in phospholipid bilayers: computation from molecular dynamics simulations and comparison with (2)H NMR experiments. *Eur Biophys J.* 36: 919-931 (2007)

Pillaire M.J., Betous R., Conti C., Czaplicki J., Pasero P., Bensimon A., Cazaux C. and Hoffmann J.S. (2007). Upregulation of error-prone DNA polymerases beta and kappa slows down fork progression without activating the replication checkpoint. *Cell Cycle* 6, 471-7 (2007)

Denis-Quanquin S, Lamouroux L, Lougarre A, Maheo S, Saves I, Paquereau L, Demange P, and Fournier D. Protein expression from synthetic genes : Selection of clones using GFP. *J. Biotechnol.* 131, 223-30 (2007).

Beck A., Klinguer-Hamour C., Bussat M.C., Champion T., Haeuw J.F., Goetsch L., Wurch T., Sugawara M., Milon A., Van Dorsselaer A., Nguyen T. and Corvaia N. Peptides as tools and drugs for immunotherapies. *J. Peptide. Sci.* 13, 588-602 (2007).

Delaspre F., Nieto Penalver C.G., Saurel O., Kiefer P., Gras E., Milon A., Boucher C., Genin S. and Vorholt J.A. The *Ralstonia solanacearum* pathogenicity regulator HrpB induces 3-hydroxy-oxindole synthesis. *Proc. Natl. Acad. Sci. U S A* 104, 15870-5 (2007).

2006

Soubias, O., Jolibois, F., Milon, A., and Réat, V., High resolution ^{13}C NMR of sterols in model membrane., *C.R. Chimie* 9: 393-400 (2006).

Renault, M., Réat, V., Sugawara, M., Demange, P., Phez, E., Teissie, J., Piotto, M., and Milon, A., Giant vesicles as an efficient intermediate for ^2H NMR analyses of proteo-liposomes in water suspension and in oriented lipid bilayers., *C.R. Chimie* 9: 401-407 (2006).

Czaplicki J., Cornélissen G. and Halberg F. GOSA, a simulated annealing-based program for global optimization of nonlinear problems, also reveals transyears. *J. Appl. Biomed.*, 4, 87-94 (2006).

Mora-Ranjeva M.P., Charveron M., Fabre B., Milon A. and Muller I. Incorporation of phytosterols in human keratinocytes. Consequences on UVA-induced lipid peroxidation and calcium ionophore-induced prostaglandin release. *Chem Phys Lipids* 141, 216-24 (2006).

Sarramegna V., Muller I., Milon A., and Talmont F. Recombinant G-Protein Coupled Receptors : from expression to renaturation: a challenge towards structure. *Cell. Mol. Life Sci.* 63, 1149-1164 (2006).

Halberg F., Cornélissen G., Katinas G., Tvildiani L., Gigolashvili M., Janashia K., Toba T., Revilla M., Regal P., Sothorn R.B., Wendt H.W., Wang Z., Zeman M., Jozsa R., Singh R.B., Mitsutake G., Chibisov S.M., Lee J., Holley D., Holte J.E., Sonkowsky R.P., Schwartzkopff O., Delmore P., Otsuka K., Bakken E.E., Czaplicki J. and the International BIOCOS Group Chronobiology's progress. Part I, season's appreciations 2004–2005 : time-, frequency-, phase-, variable-, individual-, age- and site-specific chronomics. *J. Appl. Biomed.* 4, 1-38 (2006).

Halberg F., Cornélissen G., Katinas G., Tvildiani L., Gigolashvili M., Janashia K., Toba T., Revilla M., Regal P., Sothorn R.B., Wendt H.W., Wang Z., Zeman M., Jozsa R., Singh R.B., Mitsutake G., Chibisov S.M., Lee J., Holley D., Holte J.E., Sonkowsky R.P., Schwartzkopff O., Delmore P., Otsuka K., Bakken E.E., Czaplicki J. and the International BIOCOS Group Chronobiology's progress. Part II, chronomics for an immediately applicable biomedicine. *J. Appl. Biomed.* 4, 73-86 (2006).

Penalver C.G.N., Morin D., Cantet F., Saurel O., Milon A., and Vorholt J. A. *Methylobacterium extorquens* AM1 produces a novel type of acyl-homoserine lactone with a double unsaturated side chain under methylotrophic growth conditions. *FEBS Lett.* 580, 561-7 (2006).

2005

Czaplicki J. and Milon A. (2005). Quantitative Analysis of Transferred NOE Effects in Complex Spin Systems by Full Relaxation Matrix Analysis. *Acta Physica Polonica*, 108(1), 25-32.

Ravault S., Soubias O., Saurel O., Thomas A., Brasseur R. and Milon A. (2005). Fusogenic Alzheimer's peptide fragment Ab (29-42) in interaction with lipid bilayers : Secondary structure, dynamics, and specific interaction with phosphatidyl ethanolamine polar heads as revealed by solid-state NMR. *Protein Sci.*, 14, 1181-9.

Sarramegna V., Muller I., Mousseau G., Froment C., Monsarrat B., Milon A. and Talmont F.J. (2005). Solubilization, purification and mass spectrometry analysis of the human mu-opioid receptor expressed in *Pichia pastoris*. *Protein Expr.Purif.*, 43(2), 85-93.

Soubias O., Jolibois F., Massou S., Milon A. and Réat V. (2005). Determination of the orientation and dynamics of ergosterol in model membranes using uniform ^{13}C labeling and dynamically averaged ^{13}C CSA as experimental restraints. *Biophys. J.*, 89(2), 1120-31.

Dougan L., Hargreaves R., Bates S.P., Finney J.L., Réat V., Soper A.K. and Crain J. (2005). Segregation in aqueous methanol enhanced by cooling and compression. *J. Chem. Phys.*, 122(17), 174514.

Lehnert U., Reat V., Zaccai G., Oesterheld D. (2005). Proton channel hydration and dynamics of a bacteriorhodopsin triple mutant with an M-state-like conformation. *Eur. Biophys. J.*, 34(4), 344-52.

Tournier A.L., Réat V., Dunn R., Daniel R., Smith J. and Finney J. (2005). Temperature and timescale dependence of protein dynamics in methanol : water mixtures. *Phys. Chem. Chem. Phys.*, 7, 1388-1393.

2004

Jolibois F., Soubias O., Réat V. and Milon A. (2004). Understanding Sterol-Membrane Interactions Part I : Hartree-Fock versus DFT Calculations of ^{13}C and ^1H NMR Isotropic Chemical Shifts of sterols

in Solution and Hydrogen Bonding Effects Analysis. *Chemistry - A European Journal*, 10 (23), 5996-6004.

Soubias O., Réat V., Saurel O. and Milon A. (2004). 15N T2 relaxation times of bacteriorhodopsin transmembrane amide nitrogens. *Magn. Reson. Chem.*, 42 (2), 212-217.

Soubias O., Réat V., Jolibois F., and Milon A. (2004). Understanding Sterol-Membrane Interactions Part II : Complete 1H and 13C Assignments by Solid State NMR and Determination of Hydrogen Bonding Partners of Cholesterol in a Lipid Bilayer. *Chemistry - A European Journal*, 10 (23), 6005-6014.

Gervais V., Lamour V., Jawhari A., Frindel F., Wasielewski E., Dubaele S., Egly J.M., Thierry J.C., Kieffer B. and Poterszman A. (2004). TFIIH contains a PH domain involved in DNA nucleotide excision repair. *Nat. Struct. Mol. Biol.*, 11(7), 616-622.

Thomas A., Swinnen M., Ho B., Milon A. and Bresseur R. (2004). Partial atomic charges are different in the main chain of protein helices and sheets. *Proteins : structure, function, and genetics*, 56 (1), 102-109.

2003

Sarramegna V., Talmont F., Demange P. and Milon A. (2003). Heterologous expression of G-protein-coupled receptors : comparaison of expression systems from the standpoint of large-scale production and purification. *Cell. Mol. Life Sci.*, 60, 1529-1546.

Soubias O., Piotto M., Saurel O., Assemat O., Réat V. and Milon A. (2003). Detection of natural abundance 1H-13C correlations of cholesterol in its membrane environment using a gradient enhanced HSQC experiment under high resolution magic angle spinning. *J. Magn. Reson.*, 165, 303-308.

2002

Fabre C., Czaplicki J., Wright M., Hill B., Barret J.M., Fahy J. and Milon A. (2002). Differential binding to the alpha/beta-tubulin dimer of vinorelbine and vinflunine revealed by nuclear magnetic resonance analyses. *Biochem Pharmacol.*, 64, 733-740.

Sarramegna V., Demange P., Milon A. and Talmont F. (2002). Optimizing functional versus total expression of the human mu-opioid receptor in *Pichia pastoris*. *Protein Expression Purif.*, 24, 212-220.

Sarramegna V., Talmont F., Seree de Roch M., Milon A. and Demange P. (2002). Green Fluorescent Protein as a reporter of human μ -opioid receptor overexpression and localization in the methylotrophic yeast *Pichia pastoris*. *J. Biotechnol.*, 99, 23-39.

Soubias O., Reat V., Saurel O. and Milon A. (2002). High resolution 2D 1H-13C correlation of cholesterol in model membrane. *J. Magn. Reson.*, 158, 143-8.

Soubias O., Saurel O., Reat V. and Milon A. (2002). High resolution C-13 NMR spectra on oriented lipid bilayers: From quantifying the various sources of line broadening to performing 2D experiments with 0.2-0.3 ppm resolution in the carbon dimension. *J. of Biomolecular Nmr*, 24, 15-30.

Lehnert U., Réat V., Kessler B. Oesterhelt D. and Zaccai G. (2002). Quantification of thermal motions in the purple membrane. *Appl. Phys. A*, 74, 1287-1289.

Pomper B.K., Saurel O., Milon A. and Vorholt J.A. (2002). Generation of formate by the formyltransferase/hydrolase complex (Fhc) from *Methylobacterium extorquens* AM1. *FEBS Lett.*, 523, 133-137.

Sugawara M., Czaplicki J., Ferrage J., Milon A., Haeuw J. F., Power U. F., Corvaia N., Nguyen T., and Beck A. (2002). Structure-antigenicity relationship studies of the central conserved region of human respiratory syncytial virus protein G. *J. Pept. Res.*, 60, 271-82.